

	ELEMENT ROUND TOP						
	ERLC5X8SI2	ERLC5X10SI2	ERLC6X10SI2	ERLC6X12SI2	ERLC6X12TE2	ERLC6X14SI2	ERLC6X14TE2
Overall Length	12'	14'	14'	16'	16'	18'	18'
Width	82"	82"	93"	93"	93"	93"	93"
Height	87"	87"	93"	93"	93"	93"	93"
Interior Length	8'4"	10'4"	10'4"	12'5"	12'5"	14'5"	14'5"
Interior Width	56"	56"	68"	68"	68"	68"	68"
Interior Height	67"	67"	73"	73"	73"	73"	73"
Platform Height	18"	18"	18"	18"	18"	18"	18"
Rear Opening Ht.	60"	60"	66"	66"	66"	66"	66"
Rear Opening Wd.	51"	51"	66"	66"	66"	66"	66"
Hitch Ball Height	18"	18"	18"	18"	18"	18"	18"
Hitch Ball Size	2"	2"	2"	2"	2 5/16"	2"	2 5/16"
Brakes	OPT	OPT	OPT	OPT	STD	OPT	STD
GVWR	2990#	2990#	2990#	2990#	7000#	2990#	7000#
Hitch Weight	131#	142#	161#	179#	192#	200#	225#
Curb Weight	970#	1155#	1290#	1415#	1800#	1545#	1970#
Payload Capacity	2020#	1835#	1700#	1575#	5200#	1445#	5030#
Tires	15"	15"	15"	15"	15"	15"	15"
Wheels	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT
Frame	TUBE	TUBE	TUBE	TUBE	TUBE	TUBE	TUBE
Floor	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
Sidewalls	High Performance	High Performance	High Performance	High Performance	High Performance	High Performance	High Performance
Tail Lights	LED	LED	LED	LED	LED	LED	LED
Clearance Lights	LED	LED	LED	LED	LED	LED	LED
Dome Light	STD	STD	STD	STD	STD	STD	STD
Switch	STD	STD	STD	STD	STD	STD	STD
Sidewall Vents	2	2	2	2	2	2	2
Stone Guard	24"	24"	24"	24"	24"	24"	24"
Round Front	STD	STD	STD	STD	STD	STD	STD
Side Door	OPT	OPT	32"	32"	32"	32"	32"
Rear Door	SINGLE / RAMP	SINGLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP
Ramp	OPT	OPT	OPT	OPT	OPT	OPT	OPT
Sand Pad	STD	STD	STD	STD	STD	STD	STD
Crossmembers	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC
Side Posts	16" OC	16" OC	16" OC	16" OC	16" OC	16" OC	16" OC
Roof Bows	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC
Axles	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
EZ Lube	YES	YES	YES	YES	YES	YES	YES
Undercoat	Automotive	Automotive	Automotive	Automotive	Automotive	Automotive	Automotive

Specifications Subject to Change Without Notice

	ELEMENT FLAT TOP						
	EWLC5X8SI2	EWLC5X10SI2	EWLC6X10SI2	EWLC6X12SI2	EWLC6X12TE2	EWLC6X14SI2	EWLC6X14TE2
Overall Length	12'	14'1"	14'1"	16'3"	16'3"	20'3"	20'3"
Width	82"	82"	93"	93"	93"	93"	93"
Height	84"	84"	91"	91"	91"	91"	91"
Interior Length	9'4"	11'4"	11'4"	13'4"	13'4"	15'4"	15'4"
Interior Width	56"	56"	68"	68"	68"	68"	68"
Interior Height	66"	66"	72"	72"	72"	72"	72"
Platform Height	18"	18"	18 1/4"	18 1/4"	18 1/4"	18 1/4"	18 1/4"
Rear Opening Ht.	60"	60"	66"	66"	66"	66"	66"
Rear Opening Wd.	51"	51"	66"	66"	66"	66"	66"
Hitch Ball Height	16"	16"	16"	16"	16"	16"	16"
Hitch Ball Size	2"	2"	2"	2"	2 5/16"	2"	2 5/16"
Brakes	OPT	OPT	OPT	OPT	STD	OPT	STD
GVWR	2990#	2990#	2990#	2990#	7000#	2990#	7000#
Hitch Weight	128#	119#	163#	172#	216#	193#	236#
Curb Weight	1070#	1080#	1360#	1440#	1800#	1610#	1970#
Payload Capacity	1920#	1910#	1630#	1550#	5200#	1380#	5030#
Tires	15"	15"	15"	15"	15"	15"	15"
Wheels	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT
Frame	TUBE	TUBE	TUBE	TUBE	TUBE	TUBE	TUBE
Floor	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
Sidewalls	High Performance	High Performance	High Performance	High Performance	High Performance	High Performance	High Performance
Tail Lights	LED	LED	LED	LED	LED	LED	LED
Clearance Lights	LED	LED	LED	LED	LED	LED	LED
Dome Light	1	1	1	1	1	1	1
Switch	STD	STD	STD	STD	STD	STD	STD
Sidewall Vents	2	2	2	2	2	2	2
Stone Guard	24"	24"	24"	24"	24"	24"	24"
Round Front*	OPT	OPT	OPT	OPT	OPT	OPT	OPT
Side Door	OPT	OPT	32"	32"	32"	32"	32"
Rear Door	SINGLE / RAMP	SINGLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP	DOUBLE / RAMP
Sand Pad	STD	STD	STD	STD	STD	STD	STD
Crossmembers	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC
Side Posts	16" OC	16" OC	16" OC	16" OC	16" OC	16" OC	16" OC
Roof Bows	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC	24" OC
Axles	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING	SPRING
EZ Lube	YES	YES	YES	YES	YES	YES	YES
Undercoat	Automotive	Automotive	Automotive	Automotive	Automotive	Automotive	Automotive

*For Round Top Dimensions Please Refer to the Vision Literature

Specifications Subject to Change Without Notice

	ELEMENT				
	EWLC7X14TE2	EWLC7X16TE2	EWLF8.5X20TE2	EWLF8.5X24TE2	EWLF8.5X24TE3
Overall Length	18'3"	20'3"	24'3"	28'3"	28'3"
Width	102"	102"	102"	102"	102"
Height	93"	93"	100"	100"	100"
Interior Length	15'1"	17'1"	21'2"	25'2"	25'2"
Interior Width	80"	80"	96"	96"	96"
Interior Height	72"	72"	78"	78"	78"
Platform Height	19"	19"	21"	21"	21"
Rear Opening Ht.	66"	66"	72"	72"	72"
Rear Opening Wd.	77 1/2"	77 1/2"	93 1/2"	93 1/2"	93 1/2"
Hitch Ball Height	19"	19"	21"	21"	21"
Hitch Ball Size	2 5/16"	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Brakes	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC
GVWR	7000#	7000#	7000#	7000#	9900#
Hitch Weight	245#	260#	379#	437#	452#
Curb Weight	2045#	2170#	3160#	3640#	3770#
Payload Capacity	4955#	4830#	3840#	3360#	6130#
Tires	15"	15"	15"	15"	15"
Wheels	E-COAT	E-COAT	E-COAT	E-COAT	E-COAT
Frame	TUBE	TUBE	TUBE	TUBE	TUBE
Floor	3/4"	3/4"	3/4"	3/4"	3/4"
Sidewalls	High Performance	High Performance	High Performance	High Performance	High Performance
Tail Lights	LED	LED	LED	LED	LED
Clearance Lights	LED	LED	LED	LED	LED
Dome Light	1	1	2	2	2
Switch	STD	STD	STD	STD	STD
Sidewall Vents	2	2	2	2	2
Stone Guard	24"	24"	24"	24"	24"
Round Front*	OPT	OPT	OPT	OPT	OPT
Side Door	32"	32"	36"	36"	36"
Ramp	STD	STD	STD	STD	STD
Sand Pad	STD	STD	STD	STD	STD
Crossmembers	24" OC	24" OC	16" OC	16" OC	16" OC
Side Posts	16" OC	16" OC	16" OC	16" OC	16" OC
Roof Bows	24" OC	24" OC	16" OC	16" OC	16" OC
Axles	SPRING	SPRING	SPRING	SPRING	SPRING
EZ Lube	YES	YES	YES	YES	YES
Undercoat	Automotive	Automotive	Automotive	Automotive	Automotive

*For Round Top Dimensions Please Refer to the Vision Literature

Specifications Subject to Change Without Notice