



# AVALANCHE DELUXE ALUMINUM MOTORSPORT AVALANCHE DELUXE FLAT TOP AERO WEDGE 7K

	7 x 19	7 x 23	7 x 27	7 x 29	7.5 x 17	7.5 x 19
<b>Model #</b>	K8419ADSVA-070	K8423ADSVA-070	K8427ADSVA-070	K8429ADSVA-070	K9017ADSVA-070	K9019ADSVA-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	5" x 2" Double Hollow Aluminum Tube				6" x 2" Double Hollow Aluminum Tube	
<b>Tongue</b>	5" x 3" Double Hollow Aluminum Straight Tube, Max Extension				6" x 2" Double Hollow Aluminum Triple Tube, Max Extension	
<b>Crossmembers</b>	Aluminum Tube, 16" On-Center					
<b>Coupler</b>	2-5/16" Straight Demco				2-5/16" Adjustable	
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Frame Mounted				5K Drop Leg, Frame Mounted	
<b>Wall Studs</b>	Aluminum Tube, 16" On-Center					
<b>Roof Bows</b>	Aluminum Tube, 16" On-Center					
<b>Front Profile</b>	60" Aero Wedge					
<b>Ramp(s)</b>	12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback	36" Wide Flush Lock, Cast Aluminum Holdback			32" Wide Flush Lock, Cast Aluminum Holdback	
<b>Access Doors</b>	(2) 14" x 14" Fuel					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum, Two-Tone with Divider Strip					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Rear Spoiler</b>	9" Flare					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	9mm White Vinyl					
<b>Interior Trim</b>	3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions					
<b>Ceiling</b>	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) 11" LED					
<b>Switches</b>	(1) Dome Light, 12V, (2) Load Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





# AVALANCHE DELUXE ALUMINUM MOTORSPORT AVALANCHE DELUXE FLAT TOP AERO WEDGE 7K

	7 x 19	7 x 23	7 x 27	7 x 29	7.5 x 17	7.5 x 19
<b>Cargo Control</b>	(9) 2.5K Recessed D-Rings					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27	7.5 x 29	7.5 x 31
<b>Model #</b>	K9021ADSV-070	K9023ADSV-070	K9025ADSV-070	K9027ADSV-070	K9029ADSV-070	K9031ADSV-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Double Hollow Aluminum Tube					
<b>Tongue</b>	6" x 2" Double Hollow Aluminum Triple Tube, Max Extension					
<b>Crossmembers</b>	Aluminum Tube, 16" On-Center					
<b>Coupler</b>	2-5/16" Adjustable					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	5K Drop Leg, Frame Mounted					
<b>Wall Studs</b>	Aluminum Tube, 16" On-Center					
<b>Roof Bows</b>	Aluminum Tube, 16" On-Center					
<b>Front Profile</b>	60" Aero Wedge					
<b>Ramp(s)</b>	12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist					
<b>Side Door</b>	36" Wide Flush Lock, Cast Aluminum Holdback					
<b>Access Doors</b>	(2) 14" x 14" Fuel					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum, Two-Tone with Divider Strip					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Rear Spoiler</b>	9" Flare					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	9mm White Vinyl					
<b>Interior Trim</b>	3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions					
<b>Ceiling</b>	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) 11" LED					
<b>Switches</b>	(1) Dome Light, 12V, (2) Load Light, 12V					
<b>Cargo Control</b>	(9) 2.5K Recessed D-Rings					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Tailights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

	7.5 x 33	7.5 x 35	7.5 x 37
<b>Model #</b>	K9033ADSV A-070	K9035ADSV A-070	K9037ADSV A-070
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>	7000		
<b>GAWR (lbs/axle)</b>	3500		
<b>CHASSIS</b>			
<b>Frame</b>	6" x 2" Double Hollow Aluminum Tube		
<b>Tongue</b>	6" x 2" Double Hollow Aluminum Triple Tube, Max Extension		
<b>Crossmembers</b>	Aluminum Tube, 16" On-Center		
<b>Coupler</b>	2-5/16" Adjustable		
<b>Safety Chains</b>	DOT Compliant		
<b>Tongue Jack</b>	5K Drop Leg, Frame Mounted		
<b>Wall Studs</b>	Aluminum Tube, 16" On-Center		
<b>Roof Bows</b>	Aluminum Tube, 16" On-Center		
<b>Front Profile</b>	60" Aero Wedge		
<b>Ramp(s)</b>	12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist		
<b>Side Door</b>	36" Wide Flush Lock, Cast Aluminum Holdback		
<b>Access Doors</b>	(2) 14" x 14" Fuel		
<b>Vents</b>	Sidewall Airflow		
<b>Fenders</b>	Smooth Aluminum		
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake		
<b>Hubs</b>	Easy Lube		
<b>Breakaway</b>	Battery, Switch, and Lanyard		
<b>Tires</b>	ST205/75R15C 6-PR		
<b>Wheels</b>	15", 5-Hole Aluminum		
<b>Exterior Finish</b>	.030" Aluminum, Two-Tone with Divider Strip		
<b>Exterior Fastening</b>	VHB Bonded (Screwless)		
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop		
<b>Stone Guard</b>	24" ATP		
<b>Rear Spoiler</b>	9" Flare		
<b>Roof</b>	Flat Top Seamless Aluminum		
<b>Interior Walls</b>	9mm White Vinyl		
<b>Interior Trim</b>	3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions		
<b>Ceiling</b>	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves		
<b>Flooring</b>	3/4" Engineered Wood		
<b>Interior Lights</b>	(2) 11" LED		
<b>Switches</b>	(1) Dome Light, 12V, (2) Load Light, 12V		
<b>Cargo Control</b>	(9) 2.5K Recessed D-Rings		
<b>Connector Plug</b>	Round 7-pin Blade		
<b>Exterior Lights</b>	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



# AVALANCHE DELUXE ALUMINUM MOTORSPORT AVALANCHE DELUXE FLAT TOP AERO WEDGE 10K

	7.5 x 17	7.5 x 19	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27
<b>Model #</b>	K9017ADSVA-100	K9019ADSVA-100	K9021ADSVA-100	K9023ADSVA-100	K9025ADSVA-100	K9027ADSVA-100
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	9900					
<b>GAWR (lbs/axle)</b>	5000					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Double Hollow Aluminum Tube					
<b>Tongue</b>	6" x 2" Double Hollow Aluminum Triple Tube, Max Extension					
<b>Crossmembers</b>	Aluminum Tube, 16" On-Center					
<b>Coupler</b>	2-5/16" Adjustable					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	5K Drop Leg, Frame Mounted					
<b>Wall Studs</b>	Aluminum Tube, 16" On-Center					
<b>Roof Bows</b>	Aluminum Tube, 16" On-Center					
<b>Front Profile</b>	60" Aero Wedge					
<b>Ramp(s)</b>	12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback			36" Wide Flush Lock, Cast Aluminum Holdback		
<b>Access Doors</b>	(2) 14" x 14" Fuel					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Smooth Aluminum					
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST225/75R15D 8-PR					
<b>Wheels</b>	15", 6-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum, Two-Tone with Divider Strip					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Rear Spoiler</b>	9" Flare					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	9mm White Vinyl					
<b>Interior Trim</b>	3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions					
<b>Ceiling</b>	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) 11" LED					
<b>Switches</b>	(1) Dome Light, 12V, (2) Load Light, 12V					
<b>Cargo Control</b>	(9) 2.5K Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





# AVALANCHE DELUXE ALUMINUM MOTORSPORT AVALANCHE DELUXE FLAT TOP AERO WEDGE 10K

	7.5 x 17	7.5 x 19	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



# AVALANCHE DELUXE ALUMINUM MOTORSPORT AVALANCHE DELUXE FLAT TOP AERO WEDGE 10K

	7.5 x 29	7.5 x 31	7.5 x 33	7.5 x 35	7.5 x 37
<b>Model #</b>	K9029ADSV A-100	K9031ADSV A-100	K9033ADSV A-100	K9035ADSV A-100	K9037ADSV A-100
<b>CAPACITIES</b>					
<b>GVWR (lbs)</b>	9900				
<b>GAWR (lbs/axle)</b>	5000				
<b>CHASSIS</b>					
<b>Frame</b>	6" x 2" Double Hollow Aluminum Tube				
<b>Tongue</b>	6" x 2" Double Hollow Aluminum Triple Tube, Max Extension				
<b>Crossmembers</b>	Aluminum Tube, 16" On-Center				
<b>Coupler</b>	2-5/16" Adjustable				
<b>Safety Chains</b>	DOT Compliant				
<b>Tongue Jack</b>	5K Drop Leg, Frame Mounted				
<b>Wall Studs</b>	Aluminum Tube, 16" On-Center				
<b>Roof Bows</b>	Aluminum Tube, 16" On-Center				
<b>Front Profile</b>	60" Aero Wedge				
<b>Ramp(s)</b>	12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist				
<b>Side Door</b>	36" Wide Flush Lock, Cast Aluminum Holdback				
<b>Access Doors</b>	(2) 14" x 14" Fuel				
<b>Vents</b>	Sidewall Airflow				
<b>Fenders</b>	Smooth Aluminum				
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake				
<b>Hubs</b>	Easy Lube				
<b>Breakaway</b>	Battery, Switch, and Lanyard				
<b>Tires</b>	ST225/75R15D 8-PR				
<b>Wheels</b>	15", 6-Hole Aluminum				
<b>Exterior Finish</b>	.030" Aluminum, Two-Tone with Divider Strip				
<b>Exterior Fastening</b>	VHB Bonded (Screwless)				
<b>Exterior Trim</b>	2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop				
<b>Stone Guard</b>	24" ATP				
<b>Rear Spoiler</b>	9" Flare				
<b>Roof</b>	Flat Top Seamless Aluminum				
<b>Interior Walls</b>	9mm White Vinyl				
<b>Interior Trim</b>	3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions				
<b>Ceiling</b>	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves				
<b>Flooring</b>	3/4" Engineered Wood				
<b>Interior Lights</b>	(2) 11" LED				
<b>Switches</b>	(1) Dome Light, 12V, (2) Load Light, 12V				
<b>Cargo Control</b>	(9) 2.5K Recessed D-Rings				
<b>Connector Plug</b>	Round 7-pin Blade				
<b>Exterior Lights</b>	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

